NSN 5962-01-097-5721

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-097-5721 **Body Length:** Between 1.439 inches and 1.573 inches **Body Width:** Between 0.990 inches and 1.050 inches **Body Height:** Between 0.250 inches and 0.450 inches **Maximum Power Dissipation Rating:** 90.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+125.0 degrees celsius **Features Provided:** Hermetically sealed and hybrid and negative outputs and positive outputs **Inclosure Material:** Metal **Inclosure Configuration:** Can **Input Circuit Pattern:** 1 input **Design Function And Quantity:** 1 regulator, voltage **Case Outline Source And Designator:** T0-3 joint electron device engineering council **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** 35.0 volts power source

Precious Material And Location:

Base surface gold

Precious Material:

Gold

Test Data Document:

97942-583r594 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

2 pin

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

NSN 5962-01-097-5721

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0