

View Online at <https://aerobasegroup.com/nsn/5962-01-098-7636>

**Body Length:**

Between 0.740 inches and 0.830 inches

**Body Width:**

Between 0.275 inches and 0.310 inches

**Body Height:**

Between 0.050 inches and 0.180 inches

**Maximum Power Dissipation Rating:**

900.0 milliwatts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**Features Provided:**

Burn in and hermetically sealed and high speed and compatible dtl and compatible rtl

**Inclosure Material:**

Ceramic and metal

**Inclosure Configuration:**

Dual-in-line

**Input Circuit Pattern:**

Dual 1 input and dual 2 channel

**Design Function And Quantity:**

2 driver, switch, field effect transistor

**Terminal Surface Treatment:**

Tin

**Time Rating Per Characteristic:**

300.00 nanoseconds propagation delay time, low to high level output and 350.00 nanoseconds propagation delay time, high to low level output

**Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A458a0