NSN 5962-01-099-8490

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-099-8490

Body Length:

Between 1.490 inches and 1.510 inches

Body Width:

Between 1.390 inches and 1.510 inches

Body Height:

Between 0.410 inches and 0.490 inches

Operating Tempurature Range:

-25.0/+85.0 degrees celsius

Storage Tempurature Range:

-55.0/+125.0 degrees celsius

Features Provided:

Monolithic and negative outputs and positive outputs

Inclosure Material:

Plastic

Inclosure Configuration:

Dual-in-line

Input Circuit Pattern:

4 input

Design Function And Quantity:

1 amplifier, operational, general purpose

Terminal Surface Treatment:

Gold

Voltage Rating And Type Per Characteristic:

15.0 volts power source

Time Rating Per Chacteristic:

200.00 nanoseconds propagation delay time, low to high level output and 200.00 nanoseconds propagation delay time, high to low level output

Precious Material And Location:

Terminal surface gold

Precious Material:

Gold

Test Data Document:

12436-6010402 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

9 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0