## NSN 5962-01-099-8490

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-099-8490
Body Length:
Between 1.490 inches and 1.510 inches
Body Width:
Between 1.390 inches and 1.510 inches
Body Height:
Between 0.410 inches and 0.490 inches
Operating Tempurature Range:
-25.0/+85.0 degrees celsius
Storage Tempurature Range:
-55.0/+125.0 degrees celsius
Features Provided:
Monolithic and negative outputs and positive outputs
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
4 input
Design Function And Quantity:
1 amplifier, operational, general purpose
Terminal Surface Treatment:
Gold
Voltage Rating And Type Per Characteristic:
15.0 volts power source
Time Rating Per Chacteristic:
200.00 nanoseconds propagation delay time, low to high level output and 200.00 nanoseconds propagation delay time, high to low level
output
Precious Material And Location:
Terminal surface gold
Precious Material:
Gold
Test Data Document:
12436-6010402 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
9 printed circuit
Shelf Life:
N/a
Unit Of Measure:

Fiig:

A458a0

**Demilitarization:** Yes - demil/mli