# NSN 5962-01-102-1236

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-102-1236

# Body Length:

0.840 inches

# Body Width:

Between 0.220 inches and 0.310 inches

# **Body Height:**

Between 0.140 inches and 0.185 inches

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Burn in and hermetically sealed and schottky and positive outputs

#### Inclosure Material:

Ceramic

#### Inclosure Configuration:

Dual-in-line

# **Output Logic Form:**

Transistor-transistor logic

#### Input Circuit Pattern:

4 input

# **Design Function And Quantity:**

1 decoder, one of ten line

#### Case Outline Source And Designator:

D-2 mil-m-38510

# **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

5.5 volts power source

#### Time Rating Per Chacteristic:

35.00 nanoseconds propagation delay time, low to high level output and 30.00 nanoseconds propagation delay time, high to low level output

#### **Test Data Document:**

10001-2500222 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

#### Terminal Type And Quantity:

16 printed circuit

Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

Yes - demil/mli

Fiig:

A458a0