## NSN 5962-01-102-7233

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-102-7233 **Body Length:** 0.870 inches **Body Width:** Between 0.245 inches and 0.255 inches **Body Height:** Between 0.125 inches and 0.135 inches **Maximum Power Dissipation Rating:** 500.0 milliwatts **Operating Tempurature Range:** -40.0/+85.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** 4910-01-222-6589; vtm/transducer kit, tm 9-4910-571-34&p, 17 feb 89 **Features Provided:** W/clear and w/clock and burn in **Inclosure Material:** Plastic **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Complementary-metal oxide-semiconductor logic **Input Circuit Pattern:** 8 input **Design Function And Quantity:** 1 flip-flop, d-type **Time Rating Per Chacteristic:** 300.00 nanoseconds propagation delay time, low to high level output and 300.00 nanoseconds propagation delay time, high to low level output **Test Data Document:** 19207-12258836 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 1 pin Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No Fiig:

A458a0