# NSN 5962-01-103-0221

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-103-0221

# **Body Length:**

0.785 inches

# **Body Width:**

Between 0.220 inches and 0.310 inches

# **Body Height:**

Between 0.140 inches and 0.185 inches

# **Maximum Power Dissipation Rating:**

200.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+175.0 degrees celsius

#### **Features Provided:**

Hermetically sealed and monolithic and expandable and w/enable and negative outputs and positive outputs

#### Inclosure Material:

Ceramic

# Inclosure Configuration:

Dual-in-line

# **Output Logic Form:**

Complementary-metal oxide-semiconductor logic

# Input Circuit Pattern:

4 wide 2 input

#### **Design Function And Quantity:**

1 gate, and-or invert

#### Case Outline Source And Designator:

D-1 mil-m-38510

# **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

-0.5 volts power source and 18.5 volts power source

#### Test Data Document:

81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

14 printed circuit

#### **Specification Data:**

81349-mil-m-38510/172 government specification

#### Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

# **NSN 5962-01-103-0221** Digital Microcircuit - Page 2 of 2

Fiig: A458a0

