NSN 5962-01-104-7112

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-104-7112

View Online at https:	//aerobasegroup.com/nsn/5962-01-104-7112
Body Length:	
0.440 inches	
Body Width:	
Between 0.245 inche	es and 0.285 inches
Body Height:	
Between 0.045 inche	es and 0.085 inches
Maximum Power Di	ssipation Rating:
424.0 milliwatts	
Operating Tempura	ture Range:
-55.0/+125.0 degree	s celsius
Storage Tempuratu	re Range:
-65.0/+150.0 degree	s celsius
Features Provided:	
Hermetically sealed	and monolithic and positive outputs and high speed and w/enable
Inclosure Material:	
Ceramic and glass	
Inclosure Configura	ation:
Flat pack	
Output Logic Form	
Transistor-transistor	logic
Input Circuit Patter	n:
9 input	
Design Function Ar	nd Quantity:
1 encoder, priority	
Case Outline Sourc	e And Designator:
F-5 mil-m-38510	
Terminal Surface T	reatment:
Solder	
Voltage Rating And	Type Per Characteristic:
5.5 volts power sour	ce
Test Data Documer	it:
81349-mil-m-38510 :	specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes co	mmercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and p	erformance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And	Quantity:
16 flat leads	
Specification Data:	
81349-mil-m-38510/	156 government specification
Shelf Life:	
N/a	
Unit Of Measure:	
 Demilitarization:	
Yes - demil/mli	

NSN 5962-01-104-7112

Digital Microcircuit - Page 2 of 2

Fiig: A458a0

