Digital-linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-110-1616

Parky Longthy
Body Length: 0.785 inches
Body Width:
0.260 inches
Body Height:
0.180 inches
Maximum Power Dissipation Rating: 500.0 milliwatts
Operating Tempurature Range:
-40.0/+85.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius Features Provided:
W/inhibit and bidirectional and positive outputs and dynamic
Inclosure Material: Plastic
Inclosure Configuration: Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic Input Circuit Pattern:
4 input and 8 channel
Design Function And Quantity:
1 multiplexer/demultiplexer, analog
Case Outline Source And Designator:
-
Mo-001ac joint electron device engineering council Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
15.0 volts power source
Time Rating Per Chacteristic:
720.00 nanoseconds propagation delay time, low to high level output and 720.00 nanoseconds propagation delay time, high to low lev
output
Terminal Type And Quantity:
16 printed circuit
Shelf Life:
N/a
Unit Of Measure:
 Demilitarization:
No
Fiig:
A458a0