## NSN 5962-01-110-1670

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-110-1670

Body Ler	ngth:
0.770 incł	nes
Body Wid	dth:
0.250 inch	hes
Body Hei	ight:
0.180 inch	hes
Maximum	n Power Dissipation Rating:
680.0 mill	iwatts
Operating	g Tempurature Range:
+0.0/+70.	0 degrees celsius
Storage 1	Tempurature Range:
-65.0/+15	0.0 degrees celsius
Features	Provided:
W/commo	on mode and w/short circuit protection and frequency compensated and high slew rate
Inclosure	e Material:
Plastic	
Inclosure	e Configuration:
Dual-in-lir	ne
Input Cire	cuit Pattern:
Quad 2 in	put
Design F	unction And Quantity:
4 amplifie	r, operational, general purpose
Case Out	line Source And Designator:
To-116 joi	int electron device engineering council
Terminal	Surface Treatment:
Solder	
Voltage F	Rating And Type Per Characteristic:
18.0 volts	power source
Terminal	Type And Quantity:
14 printed	1 circuit
Shelf Life	e:
N/a	
Unit Of M	leasure:
Demilitar	ization:
Yes - dem	nil/mli
Fiig:	