## NSN 5962-01-110-5628

Digital Microcircuit - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5962-01-110-5628                       |
|---|
| Body Length:  |
| Between 0.745 inches and 0.785 inches   |
| Body Width:   |
| Between 0.240 inches and 0.260 inches   |
| Body Height:  |
| Between 0.105 inches and 0.180 inches   |
| Maximum Power Dissipation Rating:   |
| 500.0 milliwatts  |
| Operating Tempurature Range:  |
| -40.0/+85.0 degrees celsius   |
| Storage Tempurature Range:  |
| -65.0/+150.0 degrees celsius  |
| End Application:  |
| General purpose electronic test equipment (gpete). Calibration standards equipment. |
| Features Provided:  |
| Hermetically sealed and w/clock and w/reset and monolithic                          |
| Inclosure Material:   |
| Plastic   |
| Inclosure Configuration:  |
| Dual-in-line  |
| Output Logic Form:  |
| Complementary-metal oxide-semiconductor logic                                       |
| Input Circuit Pattern:  |
| Dual 5 input  |
| Design Function And Quantity:   |
| 2 flip-flop, j-k, clocked, master slave   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| Yes - demil/mli   |
|   |

Fiig:

A458a0