# NSN 5962-01-110-6892

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-110-6892

# Overall Height:

0.365 inches

# **Body Length:**

0.810 inches

# Body Width:

Between 0.270 inches and 0.305 inches

# **Body Height:**

Between 0.105 inches and 0.145 inches

# **Maximum Power Dissipation Rating:**

500.0 milliwatts

# **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

# Storage Tempurature Range:

-65.0/+150.0 degrees celsius

# **Features Provided:**

Hermetically sealed and 3-state output and low power and w/enable and monolithic

# Inclosure Material:

Ceramic

# Inclosure Configuration:

Dual-in-line

# Output Logic Form:

Complementary-metal oxide-semiconductor logic

# Input Circuit Pattern:

13 input

# **Terminal Surface Treatment:**

Solder

# Voltage Rating And Type Per Characteristic:

18.3 volts power source

# Time Rating Per Chacteristic:

1200.00 nanoseconds propagation delay time, low to high level output and 1200.00 nanoseconds propagation delay time, high to low level

output

# Memory Device Type:

Ram

#### **Memory Capacity:**

Unknown

# **Terminal Type And Quantity:**

16 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

# NSN 5962-01-110-6892

Memory Microcircuit - Page 2 of 2

**Fiig:** A458a0

