Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-110-7276

Body Length:	
0.400 inches	
Body Width:	
0.250 inches	
Body Height:	
0.130 inches	
Maximum Power Dissipation F	Rating:
90.0 milliwatts	
Operating Tempurature Range	
+0.0/+70.0 degrees celsius	
Storage Tempurature Range:	
-65.0/+150.0 degrees celsius	
End Application:	
Test set, electronic circuit plug-i	า unit, type an/gsm-124
Features Provided:	
Monolithic and positive outputs a	and high voltage and low power
Inclosure Material:	
Plastic	
Inclosure Configuration:	
Dual-in-line	
Input Circuit Pattern:	
Dual 2 input	
Design Function And Quantity	
2 driver, relay	
Terminal Surface Treatment:	
Solder	
Voltage Rating And Type Per	Characteristic:
15.0 volts power source	
Time Rating Per Chacteristic:	
1000.00 nanoseconds propaga	tion delay time, low to high level output and 50.00 nanoseconds propagation delay time, high to low level
output	
Terminal Type And Quantity:	
8 printed circuit	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
Yes - demil/mli	
Fiig:	
A458a0	