NSN 5962-01-110-7283

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-110-7283
Body Length:
Between 1.543 inches and 1.573 inches
Body Width:
Between 1.030 inches and 1.050 inches
Body Height:
Between 0.250 inches and 0.450 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Helicopter, lamps mark iii, sh-60b, aircraft, harrier av-8b, helicopter, carrier based asw, sh-60f, ta-4j aircraft
Features Provided:
Hermetically sealed and monolithic and positive outputs
Inclosure Material:
Glass and metal
Inclosure Configuration:
Can
Input Circuit Pattern:
1 input
Design Function And Quantity:
1 regulator, voltage
Case Outline Source And Designator:
T0-3 joint electron device engineering council
Terminal Surface Treatment:
Gold
Voltage Rating And Type Per Characteristic:
20.0 volts power source
Precious Material And Location:
Terminal surface gold
Precious Material:
Gold
Test Data Document:
99971-7542325 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
2 pin
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

Yes - demil/mli

NSN 5962-01-110-7283

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0