# NSN 5962-01-111-0889

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-111-0889

## **Body Outside Diameter:**

Between 0.335 inches and 0.370 inches

### **Body Height:**

Between 0.165 inches and 0.185 inches

# Maximum Power Dissipation Rating:

680.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Hermetically sealed and monolithic and high voltage

#### Inclosure Material:

Metal

Inclosure Configuration:

#### Can

Input Circuit Pattern:

2 input

## **Design Function And Quantity:**

1 amplifier, operational, general purpose

### Case Outline Source And Designator:

T0-99 joint electron device engineering council

# **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

40.0 volts power source

#### **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

#### Terminal Type And Quantity:

8 pin

#### Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

Fiig:

A458a0