# NSN 5962-01-112-5675

Hybrid Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-112-5675

# **Body Length:**

Between 0.595 inches and 0.605 inches

# **Body Outside Diameter:**

Between 0.595 inches and 0.605 inches

# **Maximum Power Dissipation Rating:**

500.0 milliwatts

# **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

# Storage Tempurature Range:

-65.0/+150.0 degrees celsius

# **Features Provided:**

Hermetically sealed and hybrid and negative outputs and positive outputs

#### **Inclosure Material:**

Metal

# **Inclosure Configuration:**

# Can

**Input Circuit Pattern:** 

2 input

# **Design Function And Quantity:**

1 amplifier, operational, general purpose

# **Terminal Surface Treatment:**

Solder

# **Voltage Rating And Type Per Characteristic:**

18.0 volts power source

# Hybrid Technology Type:

Film

# **Test Data Document:**

14933-80013 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# **Terminal Type And Quantity:**

12 pin

#### Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

Fiig:

A458a0