# NSN 5962-01-112-6356

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-112-6356

# **Body Length:**

Between 0.755 inches and 0.785 inches

# Body Width:

Between 0.245 inches and 0.271 inches

# **Body Height:**

0.185 inches

### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

### **Features Provided:**

Hermetically sealed and complementary outputs and low power and schottky

#### Inclosure Material:

Ceramic

#### Inclosure Configuration:

Dual-in-line

## **Output Logic Form:**

Transistor-transistor logic

#### Input Circuit Pattern:

12 input

## **Design Function And Quantity:**

1 shift register, parallel load

# **Terminal Surface Treatment:**

Solder

### Voltage Rating And Type Per Characteristic:

7.0 volts power source

### **Time Rating Per Chacteristic:**

30.00 nanoseconds propagation delay time, low to high level output and 30.00 nanoseconds propagation delay time, high to low level output

### **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

### Terminal Type And Quantity:

16 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

#### Fiig:

A458a0