# NSN 5962-01-117-3069

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-117-3069

## **Body Outside Diameter:**

Between 0.335 inches and 0.370 inches

## **Body Height:**

Between 0.165 inches and 0.185 inches

# **Maximum Power Dissipation Rating:**

680.0 milliwatts

### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

### Storage Tempurature Range:

-65.0/+175.0 degrees celsius

### **Features Provided:**

Monolithic and high slew rate and high reliability and positive outputs

### **Inclosure Material:**

Metal

### **Inclosure Configuration:**

# Can

**Input Circuit Pattern:** 

2 input

# **Design Function And Quantity:**

1 amplifier, operational, general purpose

# **Terminal Surface Treatment:**

Solder

# Voltage Rating And Type Per Characteristic:

-5.0 volts power source and 5.0 volts power source

## **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

## **Terminal Type And Quantity:**

10 pin

### Shelf Life:

N/a

### Unit Of Measure:

--

# **Demilitarization:**

Yes - demil/mli

Fiig:

A458a0