NSN 5962-01-117-6493

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-117-6493 **Body Length:** 1.500 inches **Body Width:** 0.430 inches **Body Height:** 1.500 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** F16maintntrng 81755 **Features Provided:** Hermetically sealed and monolithic and positive outputs **Inclosure Material:** Glass and metal **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 4 input **Design Function And Quantity:** 1 amplifier, operational, general purpose **Terminal Surface Treatment:** Gold **Voltage Rating And Type Per Characteristic:** -15.0 volts power source and 15.0 volts power source **Time Rating Per Chacteristic:** 200.00 nanoseconds propagation delay time, low to high level output and 200.00 nanoseconds propagation delay time, high to low level output **Precious Material And Location:** Terminal surface gold **Precious Material:** Gold **Terminal Type And Quantity:** 9 printed circuit Shelf Life: N/a **Unit Of Measure:**

Fiig:

Demilitarization: Yes - demil/mli

A458a0