NSN 5962-01-117-7830

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-117-7830

Body Length:
Between 1.435 inches and 1.465 inches
Body Width:
Between 0.540 inches and 0.560 inches
Body Height:
Between 0.135 inches and 0.180 inches
Maximum Power Dissipation Rating:
550.0 milliwatts
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
65.0/+150.0 degrees celsius
End Application:
4935-01-059-6042 fscm 09205
Features Provided:
Hermetically sealed and monolithic and positive outputs and asynchronous and synchronous and programmable and w/enable
nclosure Material:
Plastic
nclosure Configuration:
Dual-in-line
Output Logic Form:
Fransistor-transistor logic
nput Circuit Pattern:
14 input
Ferminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
5.5 volts power source
Time Rating Per Chacteristic:
25.00 nanoseconds propagation delay time, low to high level output and 25.00 nanoseconds propagation delay time, high to low level
putput
Terminal Type And Quantity:
28 printed circuit
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
Yes - demil/mli
Fiig:
M458a0