## NSN 5962-01-117-8546

Digital Microcircuit - Page 1 of 1

Yes - demil/mli

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-117-8546 **Body Length:** 2.040 inches **Body Width:** Between 0.540 inches and 0.560 inches **Body Height:** 0.220 inches **Operating Tempurature Range:** -0.0/+75.0 degrees celsius Storage Tempurature Range: -55.0/+125.0 degrees celsius **End Application:** 6625-01-091-1958 fscm 89536 **Features Provided:** Monolithic and positive outputs and w/enable and w/strobe **Inclosure Material: Plastic Inclosure Configuration:** Dual-in-line **Output Logic Form:** P-type metal oxide-semiconductor logic **Input Circuit Pattern:** 9 input **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 8.0 volts power source **Time Rating Per Chacteristic:** 900.00 nanoseconds propagation delay time, low to high level output and 900.00 nanoseconds propagation delay time, high to low level output **Test Data Document:** 89536-407734 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 40 printed circuit Shelf Life: N/a **Unit Of Measure: Demilitarization:**