NSN 5962-01-119-8529

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-119-8529

view Offiline at https://derobasegroup.com/nsn/5302-01-119-0529
Body Length:
Between 0.755 inches and 0.785 inches
Body Width:
Between 0.220 inches and 0.310 inches
Body Height:
Between 0.145 inches and 0.175 inches
Maximum Power Dissipation Rating:
315.0 milliwatts
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
4920-01-094-8835 fscm 03640
Features Provided:
Hermetically sealed and monolithic and positive outputs and w/disable and w/open collector
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
6 input
Design Function And Quantity:
4 transceiver
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-1.5 volts power source and 5.5 volts power source
Time Rating Per Chacteristic:
35.00 nanoseconds propagation delay time, low to high level output and 30.00 nanoseconds propagation delay time, high to low leve
output
Terminal Type And Quantity:
16 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A458a0