# NSN 5962-01-119-8542

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-119-8542

# **Body Length:**

Between 0.750 inches and 0.780 inches

# Body Width:

Between 0.245 inches and 0.275 inches

# **Body Height:**

Between 0.140 inches and 0.160 inches

# **Maximum Power Dissipation Rating:**

360.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

## Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **End Application:**

4920-01-094-8835 03640

#### **Features Provided:**

Hermetically sealed and monolithic and positive outputs and high speed

#### **Inclosure Material:**

Ceramic and glass

# Inclosure Configuration:

Dual-in-line

## Output Logic Form:

Emitter-coupled logic

# Input Circuit Pattern:

5 input

## **Design Function And Quantity:**

1 adder and 1 subtractor

## **Terminal Surface Treatment:**

Solder

## Voltage Rating And Type Per Characteristic:

-8.0 volts power source and 0.0 volts power source

## Time Rating Per Chacteristic:

4.50 nanoseconds propagation delay time, low to high level output and 4.50 nanoseconds propagation delay time, high to low level output

#### **Terminal Type And Quantity:**

16 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

### Fiig:

A458a0