## NSN 5962-01-119-9706

Hybrid Microcircuit - Page 1 of 2



view Online at https://aerobasegroup.com/hsn/5962-01-119-9706
Body Length:
Between 1.890 inches and 1.900 inches
Body Width:
Between 0.770 inches and 0.780 inches
Body Height:
0.210 inches
Operating Tempurature Range:
-55.0 to 125.0 degrees celsius
Storage Tempurature Range:
-65.0 to 150.0 degrees celsius
Features Provided:
Monolithic and electrostatic sensitive and burn in
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
3 input
Design Function And Quantity:
1 control
Current Rating Per Characteristic:
40.00 milliamperes supply
Terminal Surface Treatment:
Gold
Product Name:
Solid state control transformer
Voltage Rating And Type Per Characteristic:
-18.0 volts power source and 18.0 volts power source
Hybrid Technology Type:
Monolithic
Precious Material And Location:
Terminal surfaces gold
Precious Material:
Gold
Test Data Document:
96906-mil-std-883  standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
16 pin
Shelf Life:

N/a

## NSN 5962-01-119-9706

Hybrid Microcircuit - Page 2 of 2



			ure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0