NSN 5962-01-122-4953

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-122-4953

Body Length:
0.770 inches
Body Width:
Between 0.245 inches and 0.255 inches
Body Height:
Between 0.125 inches and 0.135 inches
Maximum Power Dissipation Rating:
500.0 milliwatts
Operating Tempurature Range:
-40.0/+85.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
PI-1414/fcc 57655
Features Provided:
Hermetically sealed and w/buffered output and w/clock and w/preset
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
7 stage
Design Function And Quantity:
1 counter, binary, ripple carry
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-0.5 volts power source and 18.5 volts power source
Time Rating Per Chacteristic:
350.00 nanoseconds propagation delay time, low to high level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time, high to low level output and 350.00 nanoseconds propagation delay time.
output
Terminal Type And Quantity:
14 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig:

A458a0