NSN 5962-01-122-8292

Linear Microcircuit - Page 1 of 1

A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-122-8292

Body Length:
Between 0.740 inches and 0.870 inches
Body Width:
Between 0.220 inches and 0.310 inches
Body Height:
0.200 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
End Application:
F-16 81755
Features Provided:
Burn in, mil-std-883, class b and hermetically sealed and monolithic
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line Dual-in-line
Input Circuit Pattern:
7 input
Design Function And Quantity:
1 array, darlington transistor
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-30.0 volts power source
Time Rating Per Chacteristic:
1000.00 nanoseconds propagation delay time, low to high level output and 1000.00 nanoseconds propagation delay time, high to low level
output
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
16 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig: