## NSN 5962-01-123-2464

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-123-2464 **Body Length:** Between 0.230 inches and 0.280 inches **Body Width:** 0.260 inches **Body Height:** 0.070 inches **Maximum Power Dissipation Rating:** 500.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Radar 76301 **Features Provided:** Burn in and hermetically sealed and high speed **Inclosure Material:** Glass and silicon **Inclosure Configuration:** Flat pack **Input Circuit Pattern:** Dual 2 input **Design Function And Quantity:** 2 comparator, voltage, differential **Case Outline Source And Designator:** T0-91 joint electron device engineering council **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** 15.0 volts power source **Test Data Document:** 82577-932180 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 10 flat leads Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

Fiig:

A458a0

Yes - demil/mli