NSN 5962-01-123-4005

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-123-4005

Body Length:
Between 0.745 inches and 0.785 inches
Body Width:
Between 0.240 inches and 0.260 inches
Body Height:
Between 0.135 inches and 0.150 inches
Maximum Power Dissipation Rating:
500.0 milliwatts
Operating Tempurature Range:
-40.0/+85.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
5895-01-103-0657 28687
Features Provided:
Hermetically sealed and medium speed and monolithic
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
Quad 2 input
Design Function And Quantity:
4 gate, and-or
Case Outline Source And Designator:
-0-001-ac joint electron device engineering council
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
20.5 volts power source
Time Rating Per Chacteristic:
300.00 nanoseconds propagation delay time, low to high level output and 300.00 nanoseconds propagation delay time, high to low level
output
Terminal Type And Quantity:
16 printed circuit
Shelf Life:
N/a

Demilitarization:

Unit Of Measure:

Yes - demil/mli

NSN 5962-01-123-4005

Digital Microcircuit - Page 2 of 2



Fiig:

A458a0