# NSN 5962-01-124-3889

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-124-3889

# **Body Length:**

0.390 inches

# Body Width:

Between 0.235 inches and 0.260 inches

## **Body Height:**

Between 0.030 inches and 0.085 inches

# **Maximum Power Dissipation Rating:**

200.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

### **Features Provided:**

Monolithic

#### **Inclosure Material:**

melogure

# Ceramic

Inclosure Configuration:

Flat pack

#### **Output Logic Form:**

Complementary-metal oxide-semiconductor logic

#### Input Circuit Pattern:

Quad 2 input

#### **Design Function And Quantity:**

4 gate, exclusive or

#### **Case Outline Source And Designator:**

F-1 mil-m-38510 or f-2 mil-m-38510

#### **Time Rating Per Chacteristic:**

200.00 nanoseconds propagation delay time, low to high level output and 200.00 nanoseconds propagation delay time, high to low level output

#### **Test Data Document:**

80063-sm-a-858519 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

#### Shelf Life:

N/a

#### Unit Of Measure:

--

### Demilitarization:

Yes - demil/mli

Fiig:

A458a0