NSN 5962-01-124-6940



Linear Microcircuit - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5962-01-124-6940 **Body Length:** 3.125 inches **Body Width:** 2.625 inches **Body Height:** 0.800 inches **Maximum Power Dissipation Rating:** 2.8 watts **Operating Tempurature Range:** +0.0/+70.0 degrees celsius Storage Tempurature Range: -55.0/+125.0 degrees celsius **End Application:** 6930-01-102-2345 e/i fscm 36378 **Features Provided:** Monolithic and 3-state output and negative outputs and positive outputs **Inclosure Material:** Plastic **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 5 input **Design Function And Quantity:** 1 converter, synchro to digital **Terminal Surface Treatment:** Gold Voltage Rating And Type Per Characteristic: 15.0 volts power source **Precious Material And Location:** Terminal surface gold **Precious Material:** Gold **Test Data Document:** 22903-4004669 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 26 printed circuit Shelf Life: N/a

Demilitarization: Yes - demil/mli

Unit Of Measure:

NSN 5962-01-124-6940

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0