## NSN 5962-01-128-1851

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-128-1851

Body Length:
Between 1.177 inches and 1.197 inches
Body Width:
Between 0.990 inches and 1.050 inches
Body Height:
Between 0.250 inches and 0.352 inches
Maximum Power Dissipation Rating:
20.0 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and monolithic and adjustable and internally compensated
Inclosure Material:
Metal
Inclosure Configuration:
Can
Input Circuit Pattern:
1 input
Design Function And Quantity:
1 regulator, voltage, dc
Current Rating Per Characteristic:
1.500 amperes average forward current averaged over a full 60-hz cycle not applicable
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
40.0 volts input/output differential
Special Features:
Nuclear hardness critical items; flange mounted
Nuclear Hardness Critical Feature:
Hardened
Test Data Document:
14933-77034 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
2 pin
Shelf Life:
N/a

Demilitarization:

**Unit Of Measure:** 

Yes - demil/mli

## NSN 5962-01-128-1851

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0