Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-128-3113

Body Length:	
0.770 inches	
Body Width:	
0.290 inches	
Body Height:	
0.165 inches	
Maximum Power Dissip	pation Rating:
500.0 milliwatts	
Operating Tempurature	Range:
-0.0/+70.0 degrees celsi	JS
Storage Tempurature R	ange:
-55.0/+150.0 degrees ce	lsius
Features Provided:	
Bipolar and negative out	puts and positive outputs
Inclosure Material:	
Ceramic	
Inclosure Configuration	1:
Dual-in-line	
Input Circuit Pattern:	
6 input and hex 1 input	
Design Function And C	luantity:
6 receiver, line	
Terminal Surface Treat	ment:
Solder	
Voltage Rating And Ty	be Per Characteristic:
-16.0 volts power source	e and 7.0 volts power source
Time Rating Per Chacte	eristic:
500.00 nanoseconds pro	opagation delay time, low to high level output and 250.00 nanoseconds propagation delay time, high to low level
output	
Terminal Type And Qua	antity:
16 printed circuit	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
Yes - demil/mli	
Fiig:	
A458a0	