NSN 5962-01-128-3897



Linear Microcircuit - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5962-01-128-3897 **Overall Length:** Between 0.740 inches and 0.760 inches **Body Width:** Between 0.235 inches and 0.265 inches **Body Height:** Between 0.090 inches and 0.110 inches **Maximum Power Dissipation Rating:** 500.0 milliwatts **Operating Tempurature Range:** -30.0/+85.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** 6625-01-098-6764 **Features Provided:** Hermetically sealed and monolithic and negative outputs and complementary outputs and high speed **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 2 input **Design Function And Quantity:** 1 comparator, voltage **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** -7.0 volts power source and 7.0 volts power source **Time Rating Per Chacteristic:** 9.50 nanoseconds propagation delay time, low to high level output and 9.50 nanoseconds propagation delay time, high to low level output **Terminal Type And Quantity:** 16 printed circuit Shelf Life: N/a **Unit Of Measure: Demilitarization:**

Yes - demil/mli

Fiig:

A458a0