NSN 5962-01-128-3908

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-128-3908

Body Length:
Between 0.515 inches and 0.525 inches
Body Width:
Between 0.245 inches and 0.255 inches
Body Height:
Between 0.147 inches and 0.153 inches
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
-65.0/+160.0 degrees celsius
End Application:
6625-01-098-6764
Features Provided:
Monolithic and positive outputs and high speed and w/clock
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
P-type metal oxide-semiconductor logic
Input Circuit Pattern:
3 input
Design Function And Quantity:
2 shift register, static
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-20.0 volts power source and 0.3 volts power source
Time Rating Per Chacteristic:
280.00 nanoseconds propagation delay time, low to high level output and 280.00 nanoseconds propagation delay time, high to low leve
output
Terminal Type And Quantity:
10 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:

.

A458a0