

View Online at <https://aerobasegroup.com/nsn/5962-01-128-3917>

Body Length:

Between 0.245 inches and 0.260 inches

Body Width:

Between 0.245 inches and 0.260 inches

Body Height:

Between 0.040 inches and 0.060 inches

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Storage Temperature Range:

-65.0/+150.0 degrees celsius

End Application:

Data link 76301

Features Provided:

Negative edge triggered and hermetically sealed and schottky and 3-state output and high speed

Inclosure Material:

Ceramic

Output Logic Form:

Transistor-transistor logic

Input Circuit Pattern:

Dual 5 input

Design Function And Quantity:

2 flip-flop, j-k

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

-1.2 volts power source and 7.0 volts power source

Time Rating Per Characteristic:

7.00 nanoseconds propagation delay time, low to high level output and 7.00 nanoseconds propagation delay time, high to low level output

Test Data Document:

13499-351-1992 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0