NSN 5962-01-128-4656

Hybrid Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-128-4656 **Body Length:** 1.725 inches **Body Width:** 1.220 inches **Body Height:** 0.175 inches **Maximum Power Dissipation Rating:** 1.7 watts **Operating Tempurature Range:** -60.0/+115.0 degrees celsius **Storage Tempurature Range:** -65.0/+150.0 degrees celsius **Features Provided:** Hybrid and monolithic and burn in and w/clock **Inclosure Material:** Ceramic **Inclosure Configuration:** Flat pack **Output Logic Form:** Transistor-transistor logic **Input Circuit Pattern:** 12 input **Design Function And Quantity:** 1 timer **Terminal Surface Treatment:** Solder **Product Name:** Microcircuit, hybrid, timing Voltage Rating And Type Per Characteristic: 7.0 volts power source **Hybrid Technology Type:**

Monolithic

Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

62 flat leads

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

NSN 5962-01-128-4656

Hybrid Microcircuit - Page 2 of 2



Fiig:

A458a0