## NSN 5962-01-128-6902

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-128-6902

Botylength: Between 0.371 inches and 0.400 inches Body Width: Between 0.247 inches and 0.275 inches Body Height: Between 0.050 inches and 0.275 inches Body Height: Between 0.050 inches and 0.080 inches Operating Tempurature Range: +0.0470.0 degrees celsius Features Provided: Hermetically sealed and hybrid Inclosure Material: Glass and metal Inclosure Configuration: Filat pack Input Circuit Pattern: Dual 2 input Design Function And Quantity: 2 comparator, voltage Terminal Surface Treatment: Gold Precious Material And Location: Terminal surface gold Precious Material: Gold Precious Material And Location: Terminal surface system of the syste	
Body Width: Between 0.247 inches and 0.275 inches Body Height: Between 0.050 inches and 0.080 inches Operating Tempurature Range: +0.0470.0 degrees celsius Features Provided: Hermetically sealed and hybrid Inclosure Material: Glass and metal Inclosure Configuration: Flat pack Input Circuit Pattern: Dual 2 input Design Function And Quantity: 2 comparator, voltage Terminal Surface Treatment: Gold Precious Material And Location: Terminal surface gold Precious Material: Gold Test Data Document: 81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:	Body Length:
Between 0.247 inches and 0.275 inches  Body Height:  Between 0.050 inches and 0.080 inches  Operating Tempurature Range: +0.0/+70.0 degrees celsius Features Provided:  Hermetically sealed and hybrid  Inclosure Material:  Glass and metal  Inclosure Configuration: Flat pack  Input Circuit Pattern:  Dual 2 input  Design Function And Quantity: 2 comparator, voltage  Terminal Surface Treatment: Gold  Precious Material And Location:  Terminal surface gold  Precious Material: Gold  Test Data Document:  81349-mil-sid-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	Between 0.371 inches and 0.400 inches
Body Height: Between 0.050 inches and 0.080 inches  Operating Tempurature Range: +0.0470.0 degrees celsius  Features Provided: Hermetically sealed and hybrid Inclosure Material: Glass and metal Inclosure Configuration: Flat pack Input Circuit Pattern: Dual 2 input Design Function And Quantity: 2 comparator, voltage Terminal Surface Treatment: Gold Precious Material And Location: Terminal surface gold Precious Material: Gold Test Data Document: B1349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:	Body Width:
Between 0.050 inches and 0.080 inches  Operating Tempurature Range: +0.0/+70.0 degrees celsius  Features Provided: Hermetically sealed and hybrid Inclosure Material: Glass and metal Inclosure Configuration: Flat pack Imput Circuit Pattern: Dual 2 input Design Function And Quantity: 2 comparator, voltage Terminal Surface Treatment: Gold Precious Material And Location: Terminal surface gold Precious Material: Gold Test Data Document: Briady-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:	Between 0.247 inches and 0.275 inches
Operating Tempurature Range: +0.0/+70.0 degrees celsius  Features Provided: Hermetically sealed and hybrid Inclosure Material: Glass and metal Inclosure Configuration: Flat pack Input Circuit Pattern: Dual 2 input Design Function And Quantity: 2 comparator, voltage Terminal Surface Treatment: Gold Precious Material And Location: Terminal surface gold Precious Material: Gold Precious Material: Gold Test Data Document: 81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:	Body Height:
+0.0/+70.0 degrees celsius  Features Provided: Hermetically sealed and hybrid Inclosure Material: Glass and metal Inclosure Configuration: Flat pack Input Circuit Pattern: Dual 2 input Design Function And Quantity: 2 comparator, voltage Terminal Surface Treatment: Gold Precious Material And Location: Terminal surface gold Precious Material: Gold Test Data Document: 81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:	Between 0.050 inches and 0.080 inches
Features Provided: Hermetically sealed and hybrid Inclosure Material: Glass and metal Inclosure Configuration: Flat pack Input Circuit Pattern: Dual 2 input Design Function And Quantity: 2 comparator, voltage Terminal Surface Treatment: Gold Precious Material And Location: Terminal surface gold Precious Material: Gold Test Data Document: 81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", **, etc.). Shelf Life: N/a Unit Of Measure:	Operating Tempurature Range:
Hermetically sealed and hybrid Inclosure Material: Glass and metal Inclosure Configuration: Flat pack Input Circuit Pattern: Dual 2 input Design Function And Quantity: 2 comparator, voltage Terminal Surface Treatment: Gold Precious Material And Location: Terminal surface gold Precious Material: Gold Test Data Document: 81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:	+0.0/+70.0 degrees celsius
Inclosure Material: Glass and metal Inclosure Configuration: Flat pack Input Circuit Pattern: Dual 2 input Design Function And Quantity: 2 comparator, voltage Terminal Surface Treatment: Gold Precious Material And Location: Terminal surface gold Precious Material: Gold Test Data Document: 81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:	Features Provided:
Glass and metal Inclosure Configuration: Flat pack Input Circuit Pattern: Dual 2 input Design Function And Quantity: 2 comparator, voltage Terminal Surface Treatment: Gold Precious Material And Location: Terminal surface gold Precious Material: Gold Test Data Document: 81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:	Hermetically sealed and hybrid
Inclosure Configuration: Flat pack Input Circuit Pattern: Dual 2 input Design Function And Quantity: 2 comparator, voltage Terminal Surface Treatment: Gold Precious Material And Location: Terminal surface gold Precious Material: Gold Test Data Document: 81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:	Inclosure Material:
Flat pack  Input Circuit Pattern:  Dual 2 input  Design Function And Quantity: 2 comparator, voltage  Terminal Surface Treatment:  Gold  Precious Material And Location:  Terminal surface gold  Precious Material:  Gold  Test Data Document:  81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	Glass and metal
Input Circuit Pattern:  Dual 2 input  Design Function And Quantity: 2 comparator, voltage  Terminal Surface Treatment: Gold  Precious Material And Location: Terminal surface gold  Precious Material: Gold  Test Data Document: 81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life: N/a  Unit Of Measure:	Inclosure Configuration:
Dual 2 input  Design Function And Quantity: 2 comparator, voltage  Terminal Surface Treatment:  Gold  Precious Material And Location:  Terminal surface gold  Precious Material:  Gold  Test Data Document:  81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	Flat pack
Design Function And Quantity:  2 comparator, voltage  Terminal Surface Treatment:  Gold  Precious Material And Location:  Terminal surface gold  Precious Material:  Gold  Test Data Document:  81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	Input Circuit Pattern:
2 comparator, voltage  Terminal Surface Treatment: Gold  Precious Material And Location:  Terminal surface gold  Precious Material: Gold  Test Data Document:  81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life: N/a  Unit Of Measure:	Dual 2 input
Terminal Surface Treatment:  Gold  Precious Material And Location:  Terminal surface gold  Precious Material:  Gold  Test Data Document:  81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	Design Function And Quantity:
Precious Material And Location: Terminal surface gold Precious Material: Gold Test Data Document: 81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:	2 comparator, voltage
Precious Material And Location:  Terminal surface gold  Precious Material:  Gold  Test Data Document:  81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	Terminal Surface Treatment:
Terminal surface gold  Precious Material:  Gold  Test Data Document:  81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	Gold
Precious Material:  Gold  Test Data Document:  81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	Precious Material And Location:
Test Data Document:  81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	Terminal surface gold
Test Data Document:  81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	Precious Material:
81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	Gold
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	Test Data Document:
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Shelf Life:  N/a  Unit Of Measure:	81349-mil-std-883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
Shelf Life: N/a Unit Of Measure:	format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
N/a Unit Of Measure:	environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Unit Of Measure:	Shelf Life:
	N/a
 Demilitarization:	Unit Of Measure:
Demilitarization:	<del></del>
	Demilitarization:
Yes - demil/mli	Yes - demil/mli
Fiig:	Fiig:
A458a0	A458a0