## NSN 5962-01-128-9754

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-128-9754
Body Length:
Between 0.345 inches and 0.360 inches
Body Width:
Between 0.345 inches and 0.360 inches
Body Height:
Between 0.045 inches and 0.075 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Data link 76301
Features Provided:
Hermetically sealed and high impedance and w/disable
Inclosure Material:
Ceramic
Inclosure Configuration:
Leadless flat pack
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
12 input
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-0.5 volts power source and 7.0 volts power source
Time Rating Per Chacteristic:
450.00 nanoseconds propagation delay time, low to high level output
Memory Device Type:
Ram
Test Data Document:
13499-351-8642 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
24 pin
Shelf Life:
N/a
Unit Of Measure:

Fiig:

Demilitarization: Yes - demil/mli

A458a0