NSN 5962-01-129-2379

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-129-2379

Body Length:

Between 0.710 inches and 0.770 inches

Body Width:

0.250 inches

Body Height:

0.180 inches

Operating Tempurature Range:

-0.0/+70.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

Features Provided:

Dual negative edge triggered and positive edge triggered and internally compensated

Inclosure Material:

Plastic

Inclosure Configuration:

Dual-in-line

Output Logic Form:

Transistor-transistor logic

Input Circuit Pattern:

3 input

Design Function And Quantity:

1 multivibrator, monostable

Time Rating Per Chacteristic:

70.00 nanoseconds propagation delay time, low to high level output and 80.00 nanoseconds propagation delay time, high to low level output

Test Data Document:

80009-156-0072-00 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

```
---
```

Demilitarization:

Yes - demil/mli

Fiig:

A458a0