## NSN 5962-01-130-1997



Digital Microcircuit - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5962-01-130-1997 **Body Length:** Between 0.755 inches and 0.785 inches **Body Width:** 0.280 inches **Body Height:** Between 0.145 inches and 0.175 inches **Maximum Power Dissipation Rating:** 100.0 milliwatts **Operating Tempurature Range:** -30.0/+85.0 degrees celsius Storage Tempurature Range: -55.0/+125.0 degrees celsius **End Application:** B-52g/h wst 36378 **Features Provided:** Hermetically sealed and high speed and low power and high performance **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Emitter-coupled logic **Input Circuit Pattern:** 7 input **Design Function And Quantity:** 4 gate, nor **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: -8.0 volts power source **Time Rating Per Chacteristic:** 3.70 nanoseconds propagation delay time, low to high level output and 3.70 nanoseconds propagation delay time, high to low level output **Terminal Type And Quantity:** 16 printed circuit Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

Fiig:

A458a0