NSN 5962-01-130-6361

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-130-6361

view Offilite at https://aerobasegroup.com/hsh/5302-01-130-0001
Body Length:
Between 0.760 inches and 0.785 inches
Body Width:
Between 0.265 inches and 0.285 inches
Body Height:
Between 0.140 inches and 0.170 inches
Maximum Power Dissipation Rating:
1000.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and burn in and high speed and dielectric isolated and low power
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
Quad 1 input
Design Function And Quantity:
4 strobe, power
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
18.0 volts power source
Time Rating Per Chacteristic:
75.00 nanoseconds propagation delay time, low to high level output and 75.00 nanoseconds propagation delay time, high to low level
output
Terminal Type And Quantity:
14 printed circuit
Specification Data:
18876-11504259 manufacturers source control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Fiig:

A458a0

Yes - demil/mli