# NSN 5962-01-132-8302

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-132-8302

# **Body Length:**

Between 0.710 inches and 0.770 inches

# **Body Width:**

Between 0.240 inches and 0.260 inches

# **Body Height:**

Between 0.140 inches and 0.180 inches

## **Maximum Power Dissipation Rating:**

40.0 milliwatts

#### **Operating Tempurature Range:**

+0.0/+70.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **End Application:**

Acmi fscm 94987

#### Features Provided:

Monolithic and positive outputs and w/totem pole output

#### Inclosure Material:

Plastic

## Inclosure Configuration:

Dual-in-line

# Output Logic Form:

Transistor-transistor logic

## Input Circuit Pattern:

Quad 2 input

## **Design Function And Quantity:**

4 gate, nand

## **Terminal Surface Treatment:**

Silver

## Voltage Rating And Type Per Characteristic:

-1.5 volts power source and 5.5 volts power source

## Time Rating Per Chacteristic:

22.00 nanoseconds propagation delay time, low to high level output and 15.00 nanoseconds propagation delay time, high to low level

# output

## **Precious Material And Location:**

Terminal surfaces silver

#### **Precious Material:**

Silver

## **Terminal Type And Quantity:**

14 printed circuit

#### Shelf Life:

N/a

#### Unit Of Measure:

# NSN 5962-01-132-8302

Digital Microcircuit - Page 2 of 2

# Demilitarization:

Yes - demil/mli

Fiig:

A458a0

