## NSN 5962-01-135-2112

Memory Microcircuit - Page 1 of 2

Yes - demil/mli



View Online at https://aerobasegroup.com/nsn/5962-01-135-2112

Bod	y Length:
1.31	0 inches
Bod	y Width:
0.60	0 inches
Bod	y Height:
0.05	2 inches
Max	imum Power Dissipation Rating:
400.	0 milliwatts
Оре	rating Tempurature Range:
+0.0	/+75.0 degrees celsius
Stor	age Tempurature Range:
-65.0	0/+150.0 degrees celsius
End	Application:
Traiı	ning dev 08783
Feat	tures Provided:
Herr	netically sealed and programmable and expandable and wire-or outputs and w/enable
Incl	osure Material:
Cera	amic and glass
Incl	osure Configuration:
Dua	l-in-line
Out	put Logic Form:
Tran	nsistor-transistor logic
Inpu	It Circuit Pattern:
8 inp	Dut
Terr	ninal Surface Treatment:
Sold	ler
Volt	age Rating And Type Per Characteristic:
-1.5	volts power source and 5.5 volts power source
Tim	e Rating Per Chacteristic:
75.0	0 nanoseconds propagation delay time, low to high level output
Men	nory Device Type:
Rom	1
Men	nory Capacity:
Unk	nown
Terr	ninal Type And Quantity:
24 p	rinted circuit
She	If Life:
N/a	
11	Of Measure:

## NSN 5962-01-135-2112

Memory Microcircuit - Page 2 of 2

**Fiig:** A458a0

