# NSN 5962-01-137-9285

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-137-9285

# **Body Length:**

0.896 inches

# Body Width:

Between 0.220 inches and 0.310 inches

# **Body Height:**

Between 0.140 inches and 0.185 inches

### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **End Application:**

Display grp 76301

#### Features Provided:

Hermetically sealed and high speed and schottky and low power and w/common clock

#### Inclosure Material:

Ceramic

# Inclosure Configuration:

Dual-in-line

#### **Output Logic Form:**

Transistor-transistor logic

# Input Circuit Pattern:

10 input

#### **Design Function And Quantity:**

4 register

# **Terminal Surface Treatment:**

Solder

# Voltage Rating And Type Per Characteristic:

7.0 volts power source

# Time Rating Per Chacteristic:

35.00 nanoseconds propagation delay time, low to high level output and 35.00 nanoseconds propagation delay time, high to low level output

# **Test Data Document:**

09344-pc73512 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

16 printed circuit

Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

Yes - demil/mli

Fiig:

A458a0