NSN 5962-01-143-9103

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-143-9103

Body Len	gth:
0.910 inch	es
Body Wid	th:
0.295 inch	es
Body Heig	jht:
0.105 inch	es
Maximum	Power Dissipation Rating:
500.0 milli	watts
Operating	Tempurature Range:
-55.0/+125	0.0 degrees celsius
Storage T	empurature Range:
-65.0/+150	0.0 degrees celsius
Features	Provided:
Hermetica	ly sealed and low power and w/enable
Inclosure	Material:
Ceramic a	nd glass
Inclosure	Configuration:
Dual-in-lin	9
Output Lo	gic Form:
Compleme	entary-metal oxide-semiconductor logic
Input Circ	uit Pattern:
9 input	
Design Fu	Inction And Quantity:
1 encoder	keyboard
Terminal	Surface Treatment:
Solder	
Voltage R	ating And Type Per Characteristic:
18.0 volts	power source
Time Rati	ng Per Chacteristic:
250.00 na	noseconds propagation delay time, low to high level output and 250.00 nanoseconds propagation delay time, high to low level
output	
Test Data	Document:
96906-mil-	std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal ⁻	Type And Quantity:
18 printed	circuit
Shelf Life	
N/a	
Unit Of M	easure:
Demilitari	zation:
Yes - dem	I/mli
Fiig:	
A458a0	