## NSN 5962-01-144-9684

Digital Microcircuit - Page 1 of 2



as a contractor drawing, original equipment manufacturer drawing,

View Online at https://aerobasegroup.com/nsn/5962-01-144-9684

Body Length:
0.390 inches
Body Width:
Between 0.235 inches and 0.260 inches
Body Height:
Between 0.045 inches and 0.085 inches
Maximum Power Dissipation Rating:
240.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
F111-f/fbconv e/i fscm 88818
Features Provided:
Hermetically sealed and monolithic and w/open collector and positive outputs
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Flat pack
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
Hex 1 input
Design Function And Quantity:
6 inverter, digital
Case Outline Source And Designator:
F-2 mil-m-38510
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-1.5 volts power source and 5.5 volts power source
Test Data Document:
88818-a574a615 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment ma
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
14 flat leads
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

## **NSN 5962-01-144-9684** Digital Microcircuit - Page 2 of 2

Fiig: A458a0

