NSN 5962-01-144-9686

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-144-9686

Body Length:
Between 1.235 inches and 1.285 inches
Body Width:
Between 0.515 inches and 0.600 inches
Body Height:
Between 0.145 inches and 0.187 inches
Maximum Power Dissipation Rating:
525.0 milliwatts
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Anadigtester e/i fscm 88818
Features Provided:
Hermetically sealed and monolithic and positive outputs and electrostatic sensitive and erasable and programmable
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Dual-in-line
Output Logic Form:
N-type metal oxide-semiconductor logic
Input Circuit Pattern:
12 input
Time Rating Per Chacteristic:
450.00 nanoseconds propagation delay time, low to high level output and 450.00 nanoseconds propagation delay time, high to low level
output
Test Data Document:
88818-a574a901 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A458a0