# NSN 5962-01-146-3717

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-146-3717

# **Body Length:**

Between 0.755 inches and 0.785 inches

### **Body Width:**

0.280 inches

#### **Body Height:**

0.180 inches

# **Maximum Power Dissipation Rating:**

325.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **End Application:**

An/grc-211 13499

#### Features Provided:

Monolithic and hermetically sealed and synchronous

#### **Inclosure Material:**

Ceramic and glass

# Inclosure Configuration:

Dual-in-line

# Output Logic Form:

Transistor-transistor logic

# Input Circuit Pattern:

8 input

### **Terminal Surface Treatment:**

Solder

### Voltage Rating And Type Per Characteristic:

5.5 volts power source

### Time Rating Per Chacteristic:

45.00 nanoseconds propagation delay time, low to high level output and 52.00 nanoseconds propagation delay time, high to low level output

### **Terminal Type And Quantity:**

16 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

#### Fiig:

A458a0