## NSN 5962-01-148-6394

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-148-6394

view Offilite at https://defobasegroup.com/nsi//0302-01-140-0354
Body Length:
Between 1.180 inches and 1.220 inches
Body Width:
Between 0.495 inches and 0.600 inches
Body Height:
Between 0.115 inches and 0.155 inches
Maximum Power Dissipation Rating:
500.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Recorder-repr 28009
Features Provided:
Hermetically sealed and monolithic and high speed and low power and w/open collector
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
13 input
Design Function And Quantity:
1 generator, character
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-1.5 volts power source and 7.0 volts power source
Time Rating Per Chacteristic:
175.00 nanoseconds propagation delay time, low to high level output
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
24 printed circuit
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:

Yes - demil/mli

## **NSN 5962-01-148-6394**Digital Microcircuit - Page 2 of 2



Fiig:

A458a0