NSN 5962-01-157-9644

Linear Microcircuit - Page 1 of 1



2-01-157-9644

| View Online at https://aerobasegroup.com/nsn/5962-0 |
|---|
| Body Length: |
| Between 0.885 inches and 0.915 inches |
| Body Width: |
| Between 0.240 inches and 0.280 inches |
| Body Height: |
| 0.180 inches |
| Maximum Power Dissipation Rating: |
| 2.2 watts |
| Operating Tempurature Range: |
| -20.0/+85.0 degrees celsius |
| Storage Tempurature Range: |
| -55.0/+150.0 degrees celsius |
| Features Provided: |
| Hermetically sealed and high current and high voltage |
| Inclosure Material: |
| Ceramic and glass |
| Inclosure Configuration: |
| Dual-in-line |
| Input Circuit Pattern: |
| 8 channel and 8 input |
| Design Function And Quantity: |
| 1 driver |
| Terminal Surface Treatment: |
| Solder |
| Voltage Rating And Type Per Characteristic: |
| 15.0 volts power source |
| Terminal Type And Quantity: |
| 18 printed circuit |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

Yes - demil/mli

Fiig:

A458a0